

MAHLE

NEW Performance Parts

Gaskets, Engine Bearings, Piston Rings

CLEVITE **MAHLE**



Buick V6**196, 252****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20270 Fel-Pro Interchange: 1400	Stock	1.150" x 1.450"	HTX 900		.093"

231**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20467 Fel-Pro Interchange: 1200	Stage I	1.100" x 2.050"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20470 Fel-Pro Interchange: 1201	Stage II	1.320" x 2.350"	Laminated Fiber	Silicone Bead Sealed	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20425 Fel-Pro Interchange: 1401	Stage II Additional Holes for Adapter Plate	1.520" x 1.620"	HTX 900	Square	.093"

Valve Cover Gaskets

Part No	Application Notes	Materials/Construction	Thickness
VS50946 Fel-Pro Interchange: 1647	Stage II	Steel Core Composite, Teflon Coated on Both Sides	.100"

Chevrolet L6**194, 230, 250, 292****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20515 Fel-Pro Interchange: 1257	Stock Port	1.510" x 2.600"	Laminated Fiber	Silicone Bead Sealed	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20428 Fel-Pro Interchange: 1448	1962-84	1.380" x 1.730"	HTX 900	Square	.093"

Chevrolet V6**Valve Cover Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
VS50947 Fel-Pro Interchange: 1667	18 Degree	Steel Core Composite, Teflon Coated on Both Sides	.100"

Chevrolet V6 (cont.)**173****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20276 Fel-Pro Interchange: 1449	1980-86 Stock or Small Race Port	1.250"	HTX 900	Round	.093"

229, 262**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20493 Fel-Pro Interchange: 1202	Stock Port	1.280" x 2.100"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20468 Fel-Pro Interchange: 1203	Race Port	1.340" x 2.210"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20511 Fel-Pro Interchange: 1219	Race Box Manifold Cover Gasket		Laminated Fiber		.045"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20426 Fel-Pro Interchange: 1402	Stock Port	1.500" x 1.500"	HTX 900	Square	.093"
MS20274 Fel-Pro Interchange: 1403	Race Port	1.550" x 1.550"	HTX 900	Square	.093"
MS20427 Fel-Pro Interchange: 1463	18 Degree Cylinder Head	1.740" x 1.600"	HTX 900	Square	.093"

Chevrolet V8**5.7L LS1, LS6 / 6.0L LS2 / 6.2L LS3****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20473 Fel-Pro Interchange: 1208-2	GM LS	1.470" x 2.480"	Laminated Fiber	Silicone Bead Sealed	.045"
MS20472 Fel-Pro Interchange: 1208-3	GM LS	1.470" x 2.480"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20491 Fel-Pro Interchange: 1222-2	GM LS	1.360" x 2.683"	Laminated Fiber	Silicone Bead Sealed	.045"
MS20503 Fel-Pro Interchange: 1222-3	GM LS	1.360" x 2.683"	Laminated Fiber	Silicone Bead Sealed	.060"

Chevrolet V8 SMALL BLOCK**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20520 Fel-Pro Interchange: 1255	Vortec	1.080" x 2.110"	Laminated Fiber		.120"

302, 327, 350, 400**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20529 Fel-Pro Interchange: 1242-1	Valley Cover Gasket SB2 Mirror Port		Laminated Fiber	Silicone Bead Sealed	.030"
MS20527 Fel-Pro Interchange: 1259	Dart Buick Head	Trim to Fit	Laminated Fiber	Silicone Bead Sealed	.060"
MS20521 Fel-Pro Interchange: 1237-5	SB2 Mirror Port	1.400" x 1.900"	Laminated Fiber		.120"
MS20514 Fel-Pro Interchange: 1242	Valley Cover Gasket		Laminated Fiber	Silicone Bead Sealed	.060"
MS20513 Fel-Pro Interchange: 1254	Valley Cover Gasket		Laminated Fiber		.060"
MS20509 Fel-Pro Interchange: 1205	Stock or Small Race Port	1.280" x 2.090"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20495 Fel-Pro Interchange: 1207	Large Race Port Brodix 12SP-S	1.380" x 2.280"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20496 Fel-Pro Interchange: 1209	Extra Large Race Port Brodix 12SP-BS, W,B,WB	1.380" x 2.380"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20483 Fel-Pro Interchange: 1237-1	SB2 Mirror Port	1.400" x 1.900"	Laminated Fiber		.030"
MS20486 Fel-Pro Interchange: 1237-4	SB2 Mirror Port	1.400" x 1.900"	Laminated Fiber		.090"
MS20485 Fel-Pro Interchange: 1237-3	SB2 Mirror Port	1.400" x 1.900"	Laminated Fiber		.060"
MS20474 Fel-Pro Interchange: 1254-1	Valley Cover Gasket		Laminated Fiber		.030"
MS20476 Fel-Pro Interchange: 1206	Medium Race Port	1.310" x 2.210"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20477 Fel-Pro Interchange: 1244	Factory Head Trim to Fit	1.250" x 1.900"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20481 Fel-Pro Interchange: 1237-2	SB2 Mirror Port	1.400" x 1.900"	Laminated Fiber		.045"

Chevrolet V8 SMALL BLOCK (cont.)**302, 327, 350, 400 (cont.)****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20410 Fel-Pro Interchange: 1404	GM Vortec Stock or Small Race Port	1.500" x 1.500"	HTX 900	Square	.093"
MS20407 Fel-Pro Interchange: 1444	Stock	1.380" x 1.380"	HTX 900	Square	.093"
MS20273 Fel-Pro Interchange: 1445	Raised D Port Brodix 12B, Brodix 2000	1.780" x 1.700"	HTX 900	D-Port	.093"
MS20429 Fel-Pro Interchange: 1483	18 Degree Adapter Plate Multiple Bolt Patterns	2.000"	HTX 900	Round	.093"

Valve Cover Gaskets

Part No	Application Notes	Materials/Construction	Thickness
VS50945 Fel-Pro Interchange: 1651	ROX	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50944 Fel-Pro Interchange: 1641	Splayed Valve	Steel Core Composite, Teflon Coated on Both Sides	.100"

Chevrolet V8 BIG BLOCK GEN4**396, 402, 427, 454****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20533 Fel-Pro Interchange: 1252-4	Brodix BB1/BB2/BB3/BB4/ BB5	1.350" x 1.950"	Laminated Fiber	Silicone Bead Sealed	.090"
MS20532 Fel-Pro Interchange: 1252-2	Brodix BB1/BB2/BB3/BB4/ BB5	1.796" x 2.480"	Laminated Fiber	Silicone Bead Sealed	.040"
MS20531 Fel-Pro Interchange: 1252-3	Brodix BB1/BB2/BB3/BB4/ BB5	1.796" x 2.480"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20530 Fel-Pro Interchange: 1252-1	Brodix BB1/BB2/BB3/BB4/ BB5	1.796" x 2.480"	Laminated Fiber		.030"
MS20528 Fel-Pro Interchange: 1249	Brodix Pontiac Super Duty Head	1.900" x 2.700"	Laminated Fiber		.060"
MS20547 Fel-Pro Interchange: 1239	Brodix BB1/BB2/BB2X/ BB3/BB4	1.820" x 2.540"	Laminated Fiber		.120"
MS20546 Fel-Pro Interchange: 1252-5	Brodix BB1/BB2/BB3/BB4/ BB5	1.796" x 2.480"	Laminated Fiber	Silicone Bead Sealed	.120"
MS20517 Fel-Pro Interchange: 1223-3	5.00 Bore Space	2.060" x 2.790"	Laminated Fiber		.060"
MS20518 Fel-Pro Interchange: 1223-2	5.00 Bore Space	2.060" x 2.790"	Laminated Fiber		.045"

Chevrolet V8 BIG BLOCK GEN4 (cont.)**396, 402, 427, 454 (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20519 Fel-Pro Interchange: 1223-4	5.00 Bore Space	2.060" x 2.790"	Laminated Fiber		.090"
MS20524 Fel-Pro Interchange: 1223-5	5.00 Bore Space	2.060" x 2.790"	Laminated Fiber		.120"
MS20498 Fel-Pro Interchange: 1212	GM and Edelbrock Oval Port, Brodix FF-010 EFI	1.820" x 2.050"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20504 Fel-Pro Interchange: 1223-1	5.00 Bore Space	2.060" x 2.790"	Laminated Fiber		.030"
MS20490 Fel-Pro Interchange: 1251	Trim to Fit many Rectangle Port Heads	1.250" x 2.360"	Laminated Fiber		.060"
MS20489 Fel-Pro Interchange: 1211	Brodix BB1/BB2/BB2X/ BB3/BB4	1.820" x 2.540"	Laminated Fiber	Silicone Bead Sealed	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20409 Fel-Pro Interchange: 1410	Stock Cast Iron and Early Aluminum Heads	1.880" x 1.880"	HTX 900	Square	.093"
MS20408 Fel-Pro Interchange: 1412	Large Race Port	2.130"	HTX 900	Round	.093"
MS20405 Fel-Pro Interchange: 1428	5.000" Bore Space Brodix	2.400"	HTX 900	Round	.093"
MS20403 Fel-Pro Interchange: 1466	4.900" Bore Space DRCE	2.250"	HTX 900	Round	.093"
MS20404 Fel-Pro Interchange: 1491	4.900" Bore Space DRCE	2.400"	HTX 900	Round	.093"

Valve Cover Gaskets

Part No	Application Notes	Materials/Construction	Thickness
VS50930 Fel-Pro Interchange: 1701	Brodix SR20	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50931 Fel-Pro Interchange: 1697	Edelbrock Big Victor 3 Upper Holes 4 Lower Holes	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50932 Fel-Pro Interchange: 1672	Pro Stock DRCE II 4 Upper Holes	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50933 Fel-Pro Interchange: 1691-1	Pro Stock DRCE II 3 Upper Holes	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50934 Fel-Pro Interchange: 1618	Profiler	Steel Core Composite, Teflon Coated on Both Sides	.100"

Chevrolet V8 BIG BLOCK GEN4 (cont.)**396, 402, 427, 454 (cont.)****Valve Cover Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
VS50935 Fel-Pro Interchange: 1671	Pro Stock Oldsmobile DRCE I 4.900" Bore Space 2 Upper Holes 4 Lower Holes	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50936 Fel-Pro Interchange: 1668	AJPE Head	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50937 Fel-Pro Interchange: 1664-1	Dart Big Chief	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50938 Fel-Pro Interchange: 1660	BBC with standard bolt pattern	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50939 Fel-Pro Interchange: 1691	Pro Stock Oldsmobile DRCE I 4.900" Bore Space 3 Upper Holes 4 Lower Holes	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50940 Fel-Pro Interchange: 1696	Brodix 5.000" Bore Space	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50941 Fel-Pro Interchange: 1633	5.200" Bore Space	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50928 Fel-Pro Interchange: 1664	Pro Stock Pontiac Super Duty	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50942 Fel-Pro Interchange: 1652	Pro Stock DRCE III	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50943 Fel-Pro Interchange: 1700	5.300" Bore Space	Steel Core Composite, Teflon Coated on Both Sides	.100"

Chrysler V8 Small Block**318, 340, 360****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20430 Fel-Pro Interchange: 1413	1968-80 Stock 340, 360	1.250" x 1.750"	HTX 900		.093"
MS20423 Fel-Pro Interchange: 1465	P5 Cylinder Head	1.875"	HTX 900	Round	.093"

Valve Cover Gaskets

Part No	Application Notes	Materials/Construction	Thickness
VS50950 Fel-Pro Interchange: 1650	W7 / W8	Steel Core Composite, Teflon Coated on Both Sides	.100"



Gaskets

Chrysler V8 Small Block (cont.)

P7/R5 NASCAR Engine

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20419 Fel-Pro Interchange: 1429	P7 Cylinder Head	1.90"	HTX 900	Round	.093"

Engine Bearings

Chrysler V8 Big Block

361, 383, 400, 413, 426, 440

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20431 Fel-Pro Interchange: 1414	Stock 1959-80	1.760" x 1.450"	HTX 900	Rectangle	.093"
MS20420 Fel-Pro Interchange: 1492	B1, TS	2.30"	HTX 900	Round	.093"
MS20422 Fel-Pro Interchange: 1498	Stock	2.170" x 1.770"	HTX 900	Rectangle	.093"

Piston Rings

Chrysler V8 Racing Big Block

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20424 Fel-Pro Interchange: 1435	Hemi 2000	2.300"	HTX 900	Round	.093"

Cummins 6B

Oil Pan Gaskets

Part No	Application Notes	Materials/Construction	Thickness
OS32599 Fel-Pro Interchange:		Steel Core Composite, Teflon Coated on Both Sides	.100"

Ford L6

240, 300

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20433 Fel-Pro Interchange: 1447	1965-87	1.350" x 1.670"	HTX 900	Square	.093"

Ford V6**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20471 Fel-Pro Interchange: 1220	Wide Bank J Head	1.450" x 2.270"	Laminated Fiber	Silicone Bead Sealed	.060"

Ford V8**5.0L Coyote DOHC****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20413 Fel-Pro Interchange: 1500	Coyote		HTX 900	Round	.093"

Ford V8 MODULAR**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20537 Fel-Pro Interchange: 1236	Upper / Lower Plenum		Laminated Fiber		.030"

Ford V8 Small Block**289, 302, 315W****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20540 Fel-Pro Interchange: 1262R-3	TFS/GT40/N	1.400" x 2.250"	Laminated Fiber		.060"
MS20536 Fel-Pro Interchange: 1262R-2	TFS/GT40/N	1.400" x 2.250"	Laminated Fiber		.040"
MS20535 Fel-Pro Interchange: 1253-4	Yates SVO	1.350" x 1.950"	Laminated Fiber		.090"
MS20548 Fel-Pro Interchange: 1262R	TFS/GT40/N	1.400" x 2.250"	Laminated Fiber		.090"
MS20512 Fel-Pro Interchange: 1253-5	Yates SVO	1.350" x 1.950"	Laminated Fiber		.120"
MS20516 Fel-Pro Interchange: 1262R-4	TFS/GT40/N	1.400" x 2.250"	Laminated Fiber		.090"
MS20522 Fel-Pro Interchange: 1262R-5	TFS/GT40/N	1.400" x 2.250"	Laminated Fiber	Silicone Bead Sealed	.120"
MS20501 Fel-Pro Interchange: 1229	M6049 A Trim to Fit	1.350" x 2.200"	Laminated Fiber		.060"
MS20469 Fel-Pro Interchange: 1253-3	Yates SVO Trim to Fit	1.350" x 1.950"	Laminated Fiber		.060"

Ford V8 Small Block (cont.)**289, 302, 315W (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20484 Fel-Pro Interchange: 1253-1	Yates SVO	1.350" x 1.950"	Laminated Fiber		.030"
MS20478 Fel-Pro Interchange: 1250	Motorsport	1.200" x 2.000"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20480 Fel-Pro Interchange: 1262	Motorsport	1.280" x 2.100"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20482 Fel-Pro Interchange: 1253-2	Yates SVO	1.350" x 1.950"	Laminated Fiber		.045"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20432 Fel-Pro Interchange: 1415	Small Race Port	1.250" x 1.480"	HTX 900	Square	.093"
MS20412 Fel-Pro Interchange: 1468	SVT Lightning	1.210" x 1.410"	HTX 900	Square	.093"
MS20411 Fel-Pro Interchange: 1481	TFS Rectangle Port	1.375" x 1.560"	HTX 900		.093"
MS20275 Fel-Pro Interchange: 1486	J302, K302 Stock ford and Splayed AR Dual Bolt Pattern	1.400" x 1.400"	HTX 900	Square	.093"
MS20268 Fel-Pro Interchange: 1487	Dart, TFS, E351 Stock and Spread Dual Bolt Pattern	1.420" x 1.620"	HTX 900		.093"

302**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20538 Fel-Pro Interchange: 1248	302 Boss	1.880" x 2.650"	Laminated Fiber	Silicone Bead Sealed	.060"

351C**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20539 Fel-Pro Interchange: 1240	351C/CJ/M	1.500" x 2.120"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20499 Fel-Pro Interchange: 1228	351C/CJ/M	1.880" x 2.650"	Laminated Fiber	Silicone Bead Sealed	.060"

Ford V8 Small Block (cont.)**351C (cont.)****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20435 Fel-Pro Interchange: 1430	1970-82 w/2 BBL Cylinder Heads	1.560" x 1.980"	HTX 900	Oval	.093"
MS20269 Fel-Pro Interchange: 1416	1970-74 w/4 BBL Cylinder Heads	1.890" x 2.190"	HTX 900		.093"

Ford V8 Big Block**Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20406 Fel-Pro Interchange: 1443	Racing Wedge Head Pro Stock	2.350"	HTX 900	Round	.093"
MS20421 Fel-Pro Interchange: 1493	Racing Hemi Head Pro Stock	1.500" x 2.200"	HTX 900	Rectangle	.093"

352, 360, 390, 406, 427, 428, 428 CJ, 428 SCJ**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20541 Fel-Pro Interchange: 1247	FE Medium Riser Heads	1.400" x 2.100"	Laminated Fiber	Silicone Bead Sealed	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20271 Fel-Pro Interchange: 1485	1966-70 10 and 14 Bolt Cylinder Heads	1.430" x 2.120"	HTX 900	Rectangle	.093"

429, 460**Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20549 Fel-Pro Interchange: 1235-5	M6049 B460	1.780" x 1.910"	Laminated Fiber		.120"
MS20523 Fel-Pro Interchange: 1221-5	M6049 A460	1.820" x 2.450"	Laminated Fiber		.120"
MS20502 Fel-Pro Interchange: 1221-3	M6049 A460	1.820" x 2.450"	Laminated Fiber		.060"
MS20500 Fel-Pro Interchange: 1230	Exc 429 CJ, 429 SCJ	1.980" x 2.260"	Laminated Fiber	Silicone Bead Sealed	.060"
MS20492 Fel-Pro Interchange: 1235-3	M6049 B460	1.781" x 1.937"	Laminated Fiber		.060"

Ford V8 Big Block (cont.)**429, 460 (cont.)****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20434 Fel-Pro Interchange: 1419	1968-87 exc C460	1.550" x 2.350"	HTX 900	Oval	.093"

Valve Cover Gaskets

Part No	Application Notes	Materials/Construction	Thickness
VS50949 Fel-Pro Interchange: 1659	Pro Stock	Steel Core Composite, Teflon Coated on Both Sides	.100"

Pontiac L4**151****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20418 Fel-Pro Interchange: 1425	Exc Super Duty	1.550" x 1.500"	HTX 900	Square	.093"
MS20417 Fel-Pro Interchange: 1441	Super Duty	1.150" x 1.640"	HTX 900		.093"

Pontiac V8**326, 350, 400, 428, 455****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20272 Fel-Pro Interchange: 1423	455 HO and Super Duty Engines Open Center	1.530" x 2.000"	HTX 900		.093"

Intake Gasket Sheet Material**Intake Gasket Sheet Material**

Part No	Size	Materials/Construction	Thickness
B33583 Fel-Pro Interchange: 1200-1	10.5" x 21"	Laminated Fiber	.030"
B33584 Fel-Pro Interchange: 1200-2	10.5" x 21"	Laminated Fiber	.045"
B33585 Fel-Pro Interchange: 1200-3	10.5" x 21"	Laminated Fiber	.060"
B33586 Fel-Pro Interchange: 1200-4	10.5" x 21"	Laminated Fiber	.090"
B33587 Fel-Pro Interchange: 1200-5	10.5" x 21"	Laminated Fiber	.120"

GM LS

Qty	Part #	Description	Notes
1	MS-2411H	H Series Main Bearing Set	
1	MS-2411HX	H Series Main Bearing Set	X - .001 Extra Oil Clearance
1	MS-2411HXX	H Series Main Bearing Set	XX - .002 Extra Oil Clearance
1	MS-2411HC	H Series Main Bearing Set	Performance Coated
1	MS-2411HXC	H Series Main Bearing Set	X - .001 Extra Oil Clearance / Performance Coated
1	MS-2411HXXC	H Series Main Bearing Set	XX - .002 Extra Oil Clearance / Performance Coated

Chevrolet Small Block

Qty	Part #	Description	Notes
1	MS-429HXX	H Series Main Bearing Set	XX - .002 Extra Oil Clearance
1	MS-429HXXC	H Series Main Bearing Set	XX - .002 Extra Oil Clearance / Performance Coated
8	CB-745HXXN	H Series Rod Bearing Set	XX - .002 Extra Oil Clearance / Narrowed
8	CB-745HXXNC	H Series Rod Bearing Set	XX - .002 Extra Oil Clearance / Narrowed / Performance Coated

Chevrolet Big Block

Gaskets

Engine Bearings

Piston Rings

Qty	Part #	Description	Notes
1	MS-829HXX	H Series Main Bearing Set	XX - .002 Extra Oil Clearance
1	MS-829HXXC	H Series Main Bearing Set	XX - .002 Extra Oil Clearance / Performance Coated
1	MS-2406VX	V Series Main Bearing Set	X - .001 Extra Oil Clearance
1	MS-2406VM	V Series Main Bearing Set	Contains M Thrust Bearing
1	MS-2406VCT	V Series Main Bearing Set	Performance Coated
1	MS-2406VXCT	V Series Main Bearing Set	X - .001 Extra Oil Clearance / Performance Coated
24	MB-4118VL(24)	V Series Main Bearing Lower	
24	MB-4118VXL(24)	V Series Main Bearing Lower	X - .001 Extra Oil Clearance
24	MB-4119VU(24)	V Series Main Bearing Upper	
24	MB-4119VXU(24)	V Series Main Bearing Upper	X - .001 Extra Oil Clearance
24	MB-4118VCTL(24)	V Series Main Bearing Lower	Performance Coated
24	MB-4118VXCTL(24)	V Series Main Bearing Lower	X - .001 Extra Oil Clearance / Performance Coated
24	MB-4119VCTU(24)	V Series Main Bearing Upper	Performance Coated
24	MB-4119VXCTU(24)	V Series Main Bearing Upper	X - .001 Extra Oil Clearance / Performance Coated
9	MB-2404MU(9)	M Series Main Bearing Thrust Upper	
9	MB-2404ML(9)	M Series Main Bearing Thrust Lower	
8	CB-743HXXND	H Series Rod Bearing Set	XX - .002 Extra Oil Clearance / Narrowed / Doweled
8	CB-743HXXNDC	H Series Rod Bearing Set	XX - .002 Extra Oil Clearance / Narrowed / Doweled / Performance Coated

Chrysler Hemi

Qty	Part #	Description	Notes
24	MB-4116VL(24)	V Series Main Bearing Lower	Dual Tang BAE lower main
24	MB-4116VCTL(24)	V Series Main Bearing Lower	Dual Tang BAE lower main / Performance Coated

Roller Cam Bearings

Qty	Part #	Description	Notes
1	SH-5020S	Roller Cam Bearing Set	50MM x 20MM
1	SH-5520S	Roller Cam Bearing Set	55MM x 20MM
1	SH-6012S	Roller Cam Bearing Set	60MM x 12MM
1	SH-6020S	Roller Cam Bearing Set	60MM x 20MM
5	SH-5020	Roller Cam Bearing Individual	50MM x 20MM
5	SH-5520	Roller Cam Bearing Individual	55MM x 20MM
5	SH-6012	Roller Cam Bearing Individual	60MM x 12MM
5	SH-6020	Roller Cam Bearing Individual	60MM x 20MM

Babbitt Cam Bearings


Qty	Part #	Description	Notes
1	SH-2250S	Babbitt Cam Bearing Set	60MM
1	SH-2251CS	Babbitt Cam Bearing Set	60MM / Performance Coated
5	SH-2250	Babbitt Cam Bearing Individual	60MM
5	SH-2251C	Babbitt Cam Bearing Individual	60MM / Performance Coated


Gaskets


Engine Bearings

Piston Rings

Bore	Axial	Radial Wall	Base Material	Face Coating	Ring Type (Tension)	Position	Part Number
4.030"	1.5MM	.140"	Stainless Steel	GNS	BRG-12NG	UCR	301-1324
4.030"	1.5MM	.154"	9254 Steel		THM-13	LCR	302-1430
4.030"	3.0MM	.116"	Stainless Steel	Chrome	CP-20 (Standard)	OCR	303-1073
4.440"	.043"	.170"	9254 Steel	PVD	BR-13DV	UCR	301-1461
4.440"	.043"	.170"	9254 Steel		RFG-13	LCR	302-1569
4.440"	1/16"	.170"	9254 Steel	PVD	BR-13DV	UCR	301-1462
4.440"	1/16"	.170"	9254 Steel		RFG-13	LCR	302-1570
4.600"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1081
4.605"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1082
4.610"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1083
4.615"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1084
4.620"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1085
4.625"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1086
4.630"	3.0MM	.134"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1087
4.378"	3/16"	.201"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1088
4.440"	3/16"	.201"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1092
4.470"	3/16"	.201"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1089
4.500"	3/16"	.201"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1090
4.565"	3/16"	.201"	Stainless Steel	Chrome	CP-20 (High Tension)	OCR	303-1091







MAHLE Aftermarket Inc.
23030 MAHLE Drive
Farmington Hills, MI 48335
+1 800-338-8786

www.mahle-aftermarket.com